



SEQUENCE LISTING

Meloan, Robert Hans
Oonk, Hendrica Berendina

<120> An Improved Peptide, Immunogenic Composition and Vaccine or Medical Preparation, a Method to Immunise Animals Against the Hormone LHRH, and Analogs of the LHRH Tandem Repeat Peptide and their Use as Vaccine

<130> 2183-4518US

<140> 09/659,983

<141> 2000-09-12

<150> US 09/274,048

<151> 1999-03-22

<150> US 08/981,557

<151> 1995-06-07

<150> PCT/NL96/00223

<151> 1996-06-06

<150> US 08/447,298

<151> 1995-06-07

<150> US 08/476,013

<151> 1995-06-07

<160> 13

<170> PatentIn version 3.0

<210> 1

<211> 10

<212> PRT

<213> Sus scrofa

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (10)..(10)

<223> X=Gly-NH2

Sub E1
<400> 1

Xaa His Trp Ser Tyr Gly Leu Arg Pro Xaa
1 5 10

<210> 2

<211> 10

<212> PRT

<213> Homo sapiens

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (10)..(10)

<223> X=Gly-NH2

D'
Cont.
<400> 2

Xaa His Trp Ser His Gly Trp Tyr Pro Xaa
1 5 10

<210> 3

<211> 20

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid or Gln with attached tail of one or more addi-
tional amino acid

sub-E1
<220>

<221> PEPTIDE

<222> (3)..(3)

<223> X=Trp or N(indole)formyl-tryptophan

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=direct bond or a spacer group between Gly at position 10 and Gl
n at position 1

<220>

<221> PEPTIDE

<222> (13)..(13)

<223> X=Trp or N(indole)formyl-tryptophan

D'
cont.
<220>

<221> PEPTIDE

<222> (20)..(20)

<223> X=Gly-NH₂ or Gly with attached tail of one or more amino acids

<220>

<221> VARIANT

<222> (10)..(20)

<223> variable repeat sequence <10-20

<400> 3

Xaa His Xaa Ser Tyr Gly Leu Arg Pro Gly Xaa His Xaa Ser Tyr Gly

1 5 10 15

Leu Arg Pro Xaa

20

<210> 4

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

Sub-E1
<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

D'
ent.
<220>

<221> PEPTIDE

<222> (21)..(21)

<223> X=Cys-NH2

<400> 4

Xaa His Thr Ser Tyr Xaa Leu Arg Pro Gly Xaa His Thr Ser Tyr Xaa

1

5

10

15

Leu Arg Pro Gly Xaa

20

<210> 5

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

but EI
<221> PEPTIDE
<222> (1)..(1)
<223> X=pyroglutamic acid

<220>
<221> PEPTIDE
<222> (4)..(4)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (6)..(6)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (11)..(11)
<223> X=Gly or Gly preceded by a spacer

d' cat.
<220>
<221> PEPTIDE
<222> (14)..(14)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (16)..(16)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (21)..(21)
<223> X=Cys-NH2

<400> 5

Xaa His Thr Xaa Tyr Xaa Leu Ala Pro Gly Xaa His Thr Xaa Tyr Xaa
1 5 10 15

Leu Arg Pro Gly Xaa
20

<210> 6
<211> 21
<212> PRT

Sub E1
<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (8)..(8)

<223> X=amino acid substitution

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (18)..(18)

<223> X=amino acid substitution

<220>

<221> PEPTIDE

<222> (21)..(21)

<223> X=Cys-NH2

<400> 6

Xaa His Thr Ser Tyr Xaa Leu Xaa Pro Gly Xaa His Thr Ser Tyr Xaa

1

5

10

15

Leu Xaa Pro Gly Xaa

20

cut E1
<210> 7
<211> 21
<212> PRT
<213> artificial

<220>
<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>
<221> PEPTIDE
<222> (1)..(1)
<223> X=pyroglutamic acid

D
cont
<220>
<221> PEPTIDE
<222> (6)..(6)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (10)..(10)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (11)..(11)
<223> X=Gly or Gly preceded by a spacer

<220>
<221> PEPTIDE
<222> (16)..(16)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (20)..(20)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (21)..(21)
<223> X=Cys-NH2

but E1

<400> 7

Xaa His Thr Ser Tyr Xaa Leu Arg Pro Xaa Xaa His Thr Ser Tyr Xaa
1 5 10 15

Leu Arg Pro Xaa Xaa
20

<210> 8

<211> 42

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=Glu-NH2

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (22)..(22)

<223> X=Glu-NH2

<220>

sub E1
<221> PEPTIDE

<222> (27)..(27)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (32)..(32)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (37)..(37)

<223> X=D-Lys

<220>

<221> SITE

<222> (21)..(42)

<223> dimer formed between Cys 21 and Cys 42

<400> 8

Xaa His Thr Ser Thr Xaa Leu Arg Pro Gly Xaa His Thr Ser Tyr Xaa

1 5 10 15

Leu Arg Pro Gly Cys Xaa His Thr Ser Tyr Xaa Leu Arg Pro Gly Xaa

20 25 30

His Thr Ser Tyr Xaa Leu Arg Pro Gly Cys

35 40

<210> 9

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

Ref E1

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

8'
cont.

<220>

<221> PEPTIDE

<222> (21)..(21)

<223> X=Cys-NH₂

<400> 9

Xaa His Thr Ser Tyr Xaa Leu Arg Pro Gly Xaa His Thr Ser Tyr Xaa
1 5 10 15

Leu Ala Pro Gly Xaa
20

<210> 10

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

but B1

<223> X=amino acid substitution with acetyl group

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=amino acid substitution

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

D
not

<220>

<221> PEPTIDE

<222> (21)..(21)

<223> X=Cys-NH2

<400> 10

Xaa His Thr Ser Tyr Ser Leu Arg Pro Gly Xaa His Thr Ser Tyr Ser

1

5

10

15

Leu Arg Pro Gly Xaa

20

<210> 11

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

Def B1

<220>
<221> PEPTIDE
<222> (5)..(5)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (6)..(6)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (11)..(11)
<223> X=Gly or Gly preceded by a spacer

<220>
<221> PEPTIDE
<222> (15)..(15)
<223> X=amino acid substitution

d-
cont.
<220>
<221> PEPTIDE
<222> (16)..(16)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (21)..(21)
<223> X=Cys-NH2

<400> 11

Xaa His Thr Ser Xaa Xaa Leu Arg Pro Gly Xaa His Thr Ser Xaa Xaa
1 5 10 15

Leu Arg Pro Gly Xaa
20

<210> 12
<211> 21
<212> PRT
<213> artificial

<220>
<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

Ref B1

<220>
<221> PEPTIDE
<222> (1)..(1)
<223> X=pyroglutamic acid

<220>
<221> PEPTIDE
<222> (6)..(6)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (7)..(7)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (11)..(11)
<223> X=Gly or Gly preceded by a spacer

8'
cont.

<220>
<221> PEPTIDE
<222> (16)..(16)
<223> X=D-Lys

<220>
<221> PEPTIDE
<222> (17)..(17)
<223> X=amino acid substitution

<220>
<221> PEPTIDE
<222> (21)..(21)
<223> X=Cys-NH₂

<400> 12

Xaa His Thr Ser Tyr Xaa Xaa Arg Pro Gly Xaa His Thr Ser Tyr Xaa
1 5 10 15

Xaa Arg Pro Gly Xaa
20

but E1

<210> 13

<211> 21

<212> PRT

<213> artificial

<220>

<223> A peptide suitable for eliciting an immune response against forms
GnRH/ LHRH

<220>

<221> PEPTIDE

<222> (1)..(1)

<223> X=pyroglutamic acid

<220>

<221> PEPTIDE

<222> (6)..(6)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (9)..(9)

<223> X=amino acid substitution

<220>

<221> PEPTIDE

<222> (11)..(11)

<223> X=Gly or Gly preceded by a spacer

<220>

<221> PEPTIDE

<222> (16)..(16)

<223> X=D-Lys

<220>

<221> PEPTIDE

<222> (21)..(21)

<223> X=Cys-NH2

<400> 13

Xaa His Thr Ser Tyr Xaa Leu Arg Xaa Gly Xaa His Thr Ser Tyr Xaa

1

5

10

15

Leu Arg Xaa Gly Xaa

20